5034660/2021/VIG-I-MAU01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants - MA&UD Department - Allegation of corruption against Sri Gandham Venkata Pallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District - Placed under suspension – Suspension Reviewed - Continuation of suspension – Orders - Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig.I) DEPARTMENT

G.O.Rt.No.530 **Dated:23.09.2021.**
Read the following:-

1) From the Addl. Supdt. of Police, Anti Corruption Bureau, Rajamahendravaram Range, Rajamahendravaram, Radio Message, dated.05.02.2020.
2) G.O.Rt.No.96, MA&UD (Vig.I) Department, dated.17.02.2020.
3) From the Director General, ACB, Vijayawada, Letter Rc.No.15/RCA-REG/2020, dated.16.09.2020.
4) G.O.Rt.No.190, MA&UD (Vig.I) Department, dated.28.10.2020.
5) Minutes of the Meeting held on 11.05.2021 with the ACB officials to review the suspension cases of Accused Officers for relating to ACB cases.
6) G.O.Rt.No.242, MA&UD (Vig.I) Department, dated.25.05.2021.
7) Minutes of the Meeting held on 06.09.2021 with the ACB officials to review the suspension cases of Accused Officers for relating to ACB cases.

***

O R D E R:

In the reference 2nd read above, Government have placed Sri Gandham Venkata Pallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District under deemed suspension from 04.02.2020 in terms of clause (a) sub-rule (2) of rule 8 of APCS (CCA) Rules, 1991, as a case was registered by Anti Corruption Bureau, Rajamahendravaram Range against him in Cr.No.03/RCA-RJY/2020, Dt.03.02.2020 under Section 13(1) R/W 13 (2) of Prevention of Corruption Act (Amendment) Act, 2018 on the allegation of acquisition of assets disproportionate to his known sources of legal income.

2. Government have reviewed the suspension of Sri Gandham Venkata Pallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District in the light of G.O.Ms.No.86, Dt.08.03.1994 duly placing the matter before the review committee for consideration of reinstatement of Government servants who are under suspension for more than six months in ACB Trap/DA cases. During the review meeting held on 06.09.2021 with the ACB officials, it has been decided to continue the A.O. Sri Gandham Venkata Pallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District under suspension.

3. Government have examined the matter and after careful consideration, hereby order to continue Sri Gandham Venkata Pallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District, under suspension, until further orders.

(P.T.O.)

5034660/2021/VIG-I-MAU01

4. The Engineer-in-Chief (Public Health), A.P., Guntur shall take further necessary action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Public Health), A.P., Guntur.
Sri Gandham Venkata Pallam Raju, Superintending Engineer (under suspension),
Kakinada Municipal Corporation, East Godavari District
- **through** the ENC (PH), A.P., Guntur.

Copy to:
The Director General, Anti Corruption Bureau, A.P., Vijayawada.
Sc/Sf.

// FORWARDED BY ORDER //

SECTION OFFICER.